



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 4 N

R 2 W



Township N^o IV North Range N^o II west of the 2nd Meridian.

Surveyed by Arthur Henrie. 1881

Description of the Soil on the interior Sectional lines.



Township N^o IV North Range N^o II West of the 2nd Meridian.

Surveyed by Arthur Henrie. 181

Description of the Soil on the interior Sectional lines.

2nd M JAN

Handers of White R

Part of the table with 33 M

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

30 + 34

64

1/2 of 64 = 32

R R M 4 4 S

With Between 34 & 35

4000 Set hay mill post
from which a poplar

10 N 5 3 M 10 M Oak

30 N 10 E 47 lbs

80,00 Set post corner of
section no 34 35

26 3 27 from which
a Buck 12 S 7 4 M

13 links Buck 15

N 45 E 29 links

Are very heavy
Then said —

R 2 M J H U
 East Between on 24 335
 On Random
 4,000 Set temporary house
 post
 80,40 Intervented or 4 skin
 20ths South of the
 corner. Land the
 same

West On true line
 40,20 Set temporary post
 at average distance
 for 1/4 day corner on
 true line from
 which a Buck 20
 or 67 & 19 links
 & a gun 15-8896
 80,40 35 links
 in corner

R 2 M J H U
 North Between on 24 3
 29
 40,00 Set hay mill post
 from which a dug
 -an 10 or 3 or 20 ths
 & a Buck 20 or 64
 or 28 links
 45,00 Spring East
 80,00 Set post corner
 on 24.27 22 & 20
 from which a thick
 song 16 or 1 M 54 M
 Buck 20 or 12 M
 33 links Land
 the same

R2N94

East Between Sec 22 & 23
23 & 24 on corner
40,00 set corner post

80,35 Intersected with line
12 hrs south of corner
land and turn the
corner

West on line
40,172 set corner post
at average distance
for 1/4 corner
from where
Bench 12 & 8 3/4
15/20 20 or 34 & 1/2

80,35 In corner —

R2N94W⁵

North Between Sec 22 & 23
40,00 set hay mill post
from which a bug
- at 8 & 23 & 11 hrs
Do 12 & 73 to 10
hrs

80,00 set post corner
of Sec 14 15 22 & 23
from where
Bench 20 or 54 &
7 Do 13 7 & 7 links
Even good farming
ing land dirt
Bench Oak &
Pickup under
groove to line

R 17 14 v n

Cost Between 14823
on Random

40,00 Set a limothy part

80,00 Intersected v r 1

Line 10 M v r 10
of an corner land

the same

West Between 14823 on
line

40,00 Set limothy part
on new line for 1/4
an corner from
where M. Watson

R 10 v r 89 & 42

29,000 Buck 12 d 46 & 13
in corner

CORRECTION

R 2 N 94

Coast Between Deer
23 & 24 on corner
40,00 set corner from post

80,35 Intersected V & Shire
12 lbs south of corner
Land and turns the
corner

Post on line

40,17 set corner post
at average Boston
for corner
from which a
Post 12 & 8 3 4
15/20 20 or 34 & 1/2

80,35 In corner

R 2 N 94 W⁵

North Between Deer 22 & 23
40,00 set hay mill post
from which a sug-

- ar 8 & 23 & 11 lbs
D. 12 & 73 W 10
lbs

80,00 set post corner
of Deer 14 15 22 & 23

from which a
Post 20 W 5 & 4
7 D. 13 7 & 7 lbs
Over good farm
ing land firm
Post Oak &
Hay under
grove to Shire

6
R 2734 v

Port Between 14823
on Random

40,00 Set a temporary post

80,00 Intersected vrs
line to the north
of the corner and
the same

West Between 14823 on
line

40,00 Set temporary post
on true line for
the corner
where M. Watson

10 vrs 842

2900 Book 12 d 46613
in corner

2 M J 4 V N

North Between 33 & 34
 1230 Spring branch 4th
 4000 Set half mile post
 from Whuka Branch
 6327 W 12 Moak
 20 East 12 Mo
 3000 Set post for run of
 line no 33 34 27.28
 from Whuka Branch
 10540 E 11 Mo Do
 10825 E 31 Mo
 This mile or
 very hilly
 Buck & Oak
 Timbered land

2 M J 4 V N 9

East Between 27 & 34
 on Random
 20,00 Spring branch
 40,00 Set half mile post
 79.81 Intersected by
 line 12 Mo South
 of corner land
 the same

West Between 27 & 34
 on true line
 3990 Set half mile post
 at average distance
 on true line for
 from corner from
 Whuka Sugar 10
 41 E 23 links
 Do. Do. 175 E 11 —
 79.81 Set corner

N 2 M 9 4 or
 North Between 27 & 28
 4000 Set hay mill
 host from school
 a Hickory 12 S 10 E
 21 lbs Buck 10
 U 42 M 8 lbs
 8000 Set port 6 m
 of 2 m 27 28 21
 22 from school
 a m oak 2 ad 44
 m 43 lbs gum
 15 N 85 E 49 links
 Land the same

N 2 M 9 4 or
 East Between 27 &
 22.00 22 on Random
 4000 10 lbs B. S.
 Set from hay 8 lbs
 host
 8000 Under the vt
 line 12 lbs South
 of an corner land
 the same
 West on true line
 4000 To a sugar tree
 12 lbs B. S.
 1/4 m corner
 2000 In corner

B. 2 M 3 4 E

North
4000

Between 21 & 22

Set half mile
post from which

a Buck 10 33 M 38

Buck 12 228 M 32

links
Spring 3 22 E

41,50

3000

Set post corner

open 15:16 21 E

22 from which

a Buck 2 310 E

38 2 12 1885 M

14th this mile

over very
high hills and

merry Rock

East

Between 15 & 22

on Random

40,00

Set lamp post from
post

79,13

Intersected N 85 line

81th South of the

corner good farming
land

West On true line

39,56 Set lamp post

at average distance
for 4000 corner from

where a Coplar 39

In 28, Beans 288 E

121 links

79,13 in corner

44
North Betwixt 14815
40,00 Set hay mill
north on which a
Sugar 30 44M12
Sugar 10 or 37 213
This port stands the
cliffs of rocks
4222 Set port on the
River Bank
from which an
Elm 12 or 42M
2 M Seyaannon
24 or 32 213
Land that is

15
Betwixt 14815
Mist 40,00 Set hay mill port
from which a
Sugar 12 or 44 213
Beach 10 or 39M
213
4650 Set port on the
River bank from
which a Sugar
or 54M 13 Beach
12 or 76 24M
Land Rich and
Low

R 2 M J 4

North Belwanda N/58/16

23,95 Poplar 30 Ans 5

4000 Set half mile post
from whinadog
wood 455/17/3

Buck 458/49/7

20,000 Set post 60 Ans
of 200 9,10

15816 from
whinadog

12864 & 11/12

Buck 100/20

N 10/12 — 2

Land the
same

R 2 M 940

NOTE. Between 9 & 10

39, 91

Let hoster
the River bank

from which a

Logor 10 5569

M 10 M 80 4

\$ 3769 -

R 2 M 940

NOTE Between 325

33 -

4000

Let hay milipost

from which a

Oak 12 M 46 M 10 M

~~M 10 M 24~~ M 39 816

links

80,00 Let host corner of
sur v 22, 29 32 833

from which a Bush

10 M 25 6 H 2 links

hoplar 9 8 2 M 12

R 1 M J 4 M

East Between No 334
28 on Random

4000 Set temporary 1/4 an hour

8039 Intersected with line
at the corner Lord

West Between No 334 28
4019 Set temporary part of

average distance

for 1/4 an hour

from which

Beck 30 or 22 1/2

23 links Do 10 830

848 links —

2039 In corner

R 1 M J 4 M

North Between 28 29

4000 Set temporary part

from which Beck 16
or 15 1/2 45 1/2 60 3 1/2 47 1/2 23

7200 Spring M

8000 Set north corner

of No 20 21 22 23

29 from which

Beck 2 or 3 1/2 10

Do 10 or 7 3 1/2 20

links

P 2. M 9 H 40

East Between in 20x21
29x28 on Rons

4000 Sit port very good

80,50 East
In the same way.
line at the bottom
Land very hilly

West On the line

40,25 Sit port very
port at a side

But turn on
the line for
1/4 in from from
which a bushy

22x33 M 11
287x14 links

30 30

P 2. M 9 H 40

North Between in 20x21

4000 Sit port very good

from which a Bush
12 V 14 & 50th Hilly

only 12x28x16

2000 Sit port very

as in 16-17. 20x21

from which a

Moak 20x21 M 19

20 15x61 M 43

links over

Kolen

Land

20x21

R 2 M 9 4 W

Eot Between in 1821
on Random

4000 Set line by post

2000 In line at 30 line

45 marks with a pen

corner as on belly

Land line the same

M on true line 14 21

4000 Set line by post

on true line

for corner

from wharfa

Mark 10 S 4 p 822

M Oak 20 S 2 9 p

8000 3 p

in corner

R 2 M 9 4 W

Groth Between in 1817

2700 Brook 10 M 10

3000 Brook 10 M 8, 10

4000 Set line by post

post from which

a B Walnut 12

N 28 E 3 M Brook

10 or 11 M 33 M

8000 Set post corner

as on 16 17 88

9 from wharfa

M Oak 20 S 7 M 58

Dogwood 6 S 2 M

5 M and the

same

22 M 94 or
 East Between Luff
 9 on Random
 40,000 at timber house
 79,000 ~~Intersected~~
 53 line at
 section become
 land the same

West Between under 94
 39,50 16
 at timber house
 at average distance
 for the same
 from which a
 sugar 12 or 8 1/2
 7 Bush 2 23 8 M
 79,000 22
 in common

22 M 94 or
 North Between under 95 8
 40,000 Set half mile
 post from what
 a Bush 10.8 43 M
 35 Bush 8.15 4 M
 34 links
 61,000 Set post on the River
 Bank from which
 a Sugar 8 24 5
 2 bushels of
 16 M 20 M
 land tiller time
 Bush 2 Oak
 8 1/2 Hickory

R 24 J H C

Cost

Bridle 15

10 x 15

4000

set hay mow

hove from where

Buck 10 x 29 m

31 20 9 2 31 8

4

67.50

set post on the

river bank

from where

Sugar 10 8 5 4 8 7

Buck 12 x 15 m

20 links over

good farming

land

R 24 J H C

Cost

Bridle 15 31 32

3200

Bridle 10 3 m

3400

Moah 24 Ins 2

4000

set hay mow

from where

B. Walnut 30

3 23 8 16 Buck

1.2 5 4 3 4 10 links

67.80

Buck 20 links

2000

set post corner

of the 11 0 2 9 30

31 32 34 4 2 m

from where Hickory

10 x 7 7 8 1 5 Sugar

12 Sp M 32 links

over very heavy

land

Q 2 W J 4 (1)

Cost Between 32 & 29
on Randonia4000 Let him pay for
host8095 Intersected & S
line 20 hrs & 80
Lined in corner
Said the same~~4044~~ Between 29 & 32 onLet him pay host
at average dis =Turner on line
line for your corner
from which

Dogwood & on

688 12 hrs & a helper

3095 30 hrs & 343 M 9

Q 2 W J 4 (1)

North Between 29 & 30
1150 Sprung S, M40,00 Let half mile
North from which
a Dogwood & S 3 M
47 Buck 83226
36 links6125 So where a large thing
make its appearance8000 in a sink hole
Let host corner of

1920 29 & 30 from

which a sugar 10

S 3 & 37 hrs & 20

N 19 M 8 links

Said the same

No 2 W 9 A

Cost

Belt under 29820

Worth

an Random

4000

Set Lumborg from
port

4000

750

Brook 20th Dr M.

3100

Intersected or 8 line
30th north of an
corner land the
same

Met

on true line

4050

Set Lumborg port
at average Distom
for 1/4 on corner
from which a

Lumborg 2873 P

25 Do 8 V 17 E

28 Links

21,00

See to an

No 2 W 9 A

Belt under 19820

Set bay mill
port from which

a Buck 158408

13 Buck 15842 M

12 Links

8000

Set port corner of
in 17th 19820

from which a

Sugar 285085

Buck 10261 M 16

links this mile

are very high

hills and Rocks

A. 2 M 9 4 W.

Cott. 13th ur in 20x17
on Random4000 Set lamp house for
in post89.36 Intersected
line at the corner
and good under
growth there for
the sameMort. 20x17
4093 Set post at a way
between for 100corner from White
Buck 20 087 M 5
Sagwood 50A 194 2589
Set corner

R 2 M 9 4 W.

Mort. 13th ur in 17x18
14.50 Brook 15th M40,00 Set haymower post
from White Buck

10 N 66 E 7 Sugar

8 228 E 10

55,50 Brook 15th M

80,00 Set post corner of
in ur 7.3 17 3 18 from

White Buck 20

38 2 M 19 20 50

or 82 E 24 Links

This made over good
forming Buck
Oak & Poplar
Land

No 2 W I 4.00

Port Between 2000

8800 on Random

40,00 dittem hoy 4/4 dit

80,00 Intersected or 8/8

line 20 Mts South
of the corner Lane
the same

West On true line 2000

40,00 dittem hoy port

on true line at
average distance

for 1/4 in corner
from wharf

oak 12 or 498 A 8
80 879 00 1/4 link

No 2 W I 4

North Between 788

40,00 dittem hoy mile

port from wharf

a much 12 or 44

8 15 808 838 M

8 links

48,00 dit port on the
River bank

from wharf

Sugar 12 348 60

Lynn 15 345 M

37 links land

the same

R 2 M 3 4 V

Met

Between Aug 7 & 18

9,00

Large Spring South

37,75
40,00

Buck 20 In

Set half mile

port from Ashwa

Buck 12 M 79 & 32

Hackberry 12 S 12

M 13 links

50,33

Set port on the

River bank from

whaka Sugar 12

84 p M 7 Do Do

M 48 & 22 links

Over good land

Inm. Buck

Ash Sugar &
Hackberry

R 2 M 4 V

Met

Between Aug 18 & 19

33,75

Poplar 29 In

40,00

Set half mile port

from whaka Buck

20 S 89 & 23 Do 10

34.3 M 5 links

43,00

Set port on the
River bank from

whaka Elm 40

80 55 & 7 M

Lynn 6 S 53 M

Yhs land the

same

R 2 M 9 A 1 V

Most Between in 19830

22,25 Brook 20 lbs N, M

40,00 Set hay mill
port from which

a Sugar tree 15

826 & 23 Hickory

12 N 21 M 23 N

49,00 Set port on the
river bank from
which a Sugar

N 71 & 32 Iron

road & 287 & 28

links Land

very hilly
limb. The same

R 2 M 9 A 1 V

Most Between in 30831

6,25 Shingworth

40,00 Set hay mill

port from

which a Dogwood

60 N 28 M 20

Proplor 20854 M

14 lbs

80,17

Set port on the N
boundary 1720

open corner from
which a Buck 12

N 36 M 13 lbs

8020862 M 32

links

384

W-953516

98 m 6/0

8354 | 3 29

20 5 488

20 6 2868

20 & 21

on the

2000

1106

96. 7, 4, 8, 17, 9

22 0 45760
0 155

28 5, 46 58

20 L 3968

20 6 47

Toad

81618 6 22

05 11 4988

00 01 1/2 1/2

22	77	3088
0.5	16	3338
00	4	3730
0.5	16	08

26456
88888
to 6000

0.9	6	2030
0.5	14	3620
0.5	6	3540
00	64	7500
0.5	6	3588
0.5	14	3768
00	20	3658

Lower up the river from
the corner of 7 & 8th
to the corner of 11th & 12th

Same	to the dam from
the corner of 14th & 15th	
8322	13 50
8348	26 80
8728	22 00
8548	9 00
8258	5 44
8160	8 00
8240	14 00
8250	6 75
8330	8 00
8320	19 50

to the mouth
of a brook

To the corner
Established
on the East
side of the
Main St or
the line between
Sec 11 & 14

T

Course from the river
from the corner on the
range line between 13
2 m on the east side

344 m	9	50
374 m	13	00
376 m	12	50
355 m	12	00
324 m	17	50
35 m	10	50
35 E	9	00
313 E	7	50
317 E	15	00
317 E	5	72
310 E	5	50
355 m	34	00
	14	00

To corner
of Oct 1892

369 m 11 50
388 m 5 50

To corner
11812.1422
m

316	16	00
320 m	37	50
35 E	5	00
316 E	7	73
322 E	7	00
323 E	5	00

To corner
of Dec 11814

500

W

31- 5 Jan 108377
Aug 10 or 42
16


832 19/50

335 8/9

325 8/4 75

N 32 833 33 90
4077

Meanders of the Right Bank
of White River in
T4N-R2W.



Comp. with the original.

Meander of the East Fork of
White River from post in the N.
boundary of T4. N. R2 W. up right bank

N70 E	11.00	in Sec. 30, T4. N. R2 W.
N64 E	7.00	
N50 E	7.50	
N35 E	5.47	to line between Sec. 19 & 30

N16 E	6.50	in Sec. 19, T4. N. R2 W.
N13 W	5.00	
N32 W	16.75	
N40 W	14.50	
N47 W	5.50	
N46 W	10.55	to post on Range line

From post in Range line N. side 19.
N. north side of bend.

N60 E	25.50	
-------	-------	--

T4 N. R2 W
Meander Continued

N85 E	16.75	
N87 E	10.00	
N81 E	5.75	
N49 E	7.50	
N29 E	10.50	
N15 N	5.00	
N44 N	30.00	
N36 N	8.00	a Spring
N36 N	13.50	
N40 N	9.50	
N39 N	5.00	to line betw. Sec. 7 & 18
N31 N	9.50	(a Spring) in Sec 7
N16 N	8.50	
N12 N	6.75	
N16 N	22.00	
N22 E	10.00	
N34 E	19.50	✓

T4 N. R2 W
Meander Continued

N55 E	13.60	
N77 E	6.50	
S60 E	10.50	
S57 E	9.50	
S61 E	6.50	a Brook 5 hrs. wide
S61 E	6.00	
S57 E	10.60	to line betw. Sec. 7 & 8
S60 E	19.00	in Sec. 8, T4 N. R2 W
S71 E	19.00	
S87 E	25.00	
N48 E	8.00	
N30 E	28.00	
N45 E	4.39	to line between Sec. 8 & 9
N25 E	7.00	in Sec 9
N28 E	16.50	line betw. Sec. 4 & 9

4th R2W

Meanders Continued

N28 E	3.80	in Sec. 4, 4th R2W
N49 E	9.00	
S60 E	12.50	
S32 E	4.62	line betw. Sec. 4 & 9
S34 E	19.00	in Sec. 9, 4th R2W
S24 E	12.70	
S35 E	6.00	a brook 30 lbs. wide
S35 E	4.00	
S45 E	5.00	
S75 E	8.00	
N88 E	14.20	line between Sec. 9 & 10
N86 E	17.50	in Sec. 10, 4th R2W
S86 E	14.00	
East	17.00	
S79 E	11.50	✓

4th R2W

Meanders Continued

S62 E	12.00	
S15 E	9.00	
S5 E	11.50	
S11 E	12.93	line betw. Sec. 10 & 15
S15 E	10.00	in 15, 4th R2W
S11 E	6.80	line betw. Sec. 14 & 15
S16 E	17.50	in Sec. 14, 4th R2W
S33 E	22.50	
S50 E	15.50	
S78 E	5.00	
N71 E	21.00	
N2W	5.50	
N21W	10.50	
N29W	19.50	
N24W	6.00	✓

S4 N R2 W Meandering Contint

N32 W	14.25	
N25 W	6.70	line between Sec. 11 & 14
N16 W	16.00	in Sec. 11
N6 E	12.00	
N63 E	8.50	
N86 E	26.50	
N89 E	15.00	
N79 E	5.50	line betw. Sec. 11 & 12
East	13.00	in Sec 12, S4 N. R2 W
N80 E	8.50	
N62 E	10.00	
N7 E	8.00	
N9 W	33.45	line between Sec. 1 & 12
N10 W	6.50	(a Spring) in Sec 1.

S4 N R2 W

Meandering Continued

N10 W	23.50	in Sec 1.
North	12.00	Rocky very high
N9 E	12.25	
N29 E	18.50	
N68 E	21.50	
N80 E	7.50	N. boundy. of S4 N. R2 W
N83 E	8.00	
N69 E	6.00	
N61 E	8.23	to post in Right bank on the Ranged line between Range 1 & 2 W

